

# ULTRA LIFE

Up to four times longer lifetime



**Extra lifetime**

Up to four times longer lifetime compared to standard auxiliary lamps



**More durability**

For longer replacement cycles and additional reliability and comfort



**Wide product range**

Fits for most common auxiliary lamp types



**The durable light with up to four times longer lifetime**

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

## Product family datasheet

### Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ULTRA LIFE C5W	Auxiliary lamp	6418ULT	5 W	12.0 V	5 W
ULTRA LIFE H6W	Auxiliary lamp	64132ULT	7 W	12.0 V	6 W
ULTRA LIFE P21/5W	Auxiliary lamp	7528ULT	25 / 6 W	12.0 V	21/5 W
ULTRA LIFE P21W	Auxiliary lamp	7506ULT	25 W	12.0 V	21 W
ULTRA LIFE PY21W <sup>1)</sup>	Auxiliary lamp	7507ULT	25 W	12.0 V	21 W
ULTRA LIFE R10W	Auxiliary lamp	5008ULT	10 W	12.0 V	10 W
ULTRA LIFE R5W	Auxiliary lamp	5007ULT	5 W	12.0 V	5 W
ULTRA LIFE W5W	Auxiliary lamp	2825ULT	5 W	12.0 V	5 W

Product description	Power input tolerance	Test voltage	Photometric Data	Physical Attributes & Dimensions	
			Nominal luminous flux	Lamp base	Length
ULTRA LIFE C5W	±10 %	13.5 V	45 lm	SV8.5-8	36.0 mm
ULTRA LIFE H6W	±5 %	13.5 V	125 lm	BAX9s	33.0 mm
ULTRA LIFE P21/5W	±6 / ±10 %	13.5 V	440/35 lm	BAY15d	52.5 mm
ULTRA LIFE P21W	±6 %	13.5 V	460 lm	BA15s	52.5 mm
ULTRA LIFE PY21W <sup>1)</sup>	±6 %	13.5 V	280 lm	BAU15s	52.5 mm
ULTRA LIFE R10W	±10 %	13.5 V	125 lm	BA15s	37.5 mm
ULTRA LIFE R5W	±10 %	13.5 V	50 lm	BA15s	37.5 mm
ULTRA LIFE W5W	±10 %	13.5 V	50 lm	W2.1x9.5d	26.8 mm

Product description	Diameter	Diameter	Lifetime Data		Capabilities
			Lifespan B3	Lifespan Tc	Technology
ULTRA LIFE C5W	11.0 mm	11.0 mm	1500 hr	4000 hr	AUX
ULTRA LIFE H6W	9 mm	9 mm	600 hr	1000 hr	AUX
ULTRA LIFE P21/5W	25.0 mm	25.0 mm	300 / 3000 hr <sup>2)</sup>	800 / 6000 hr <sup>2)</sup>	AUX
ULTRA LIFE P21W	25.0 mm	25.0 mm	500 hr	1000 hr	AUX
ULTRA LIFE PY21W <sup>1)</sup>	25.0 mm	25.0 mm	500 hr	1000 hr	AUX
ULTRA LIFE R10W	16.0 mm	16.0 mm	600 hr	1200 hr	AUX
ULTRA LIFE R5W	16.0 mm	16.0 mm	600 hr	1200 hr	AUX
ULTRA LIFE W5W	10.0 mm	10.0 mm	700 hr	1500 hr	AUX

## Product family datasheet








Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ULTRA LIFE C5W	C5W	4008321415240   4062172394819   4008321415264   4008321413086   4052899419629	No declarable substances contained	No declarable substances contained
ULTRA LIFE H6W	H6W	4052899494039   4052899419681   4008321415325   4008321413178   4062172394796	No declarable substances contained	No declarable substances contained
ULTRA LIFE P21/5W	P21/5W	4008321415288   4062172394895   4008321413116   4008321415301	No declarable substances contained	No declarable substances contained
ULTRA LIFE P21W	P21W	4008321415141   4062172394833   4008321415349	No declarable substances contained	No declarable substances contained
ULTRA LIFE PY21W <sup>1)</sup>	PY21W	4008321415165   4062172394871   4008321413147	No declarable substances contained	No declarable substances contained
ULTRA LIFE R10W	R10W	4062172394918   4008321415226   4008321416568   4008321415400	No declarable substances contained	No declarable substances contained
ULTRA LIFE R5W	R5W	4008321415370   4008321416537   4008321415202   4062172394772	No declarable substances contained	No declarable substances contained
ULTRA LIFE W5W	W5W	4062172394734   4008321413024   4008321415189	No declarable substances contained	No declarable substances contained

<sup>1)</sup> Amber lamp for clear indicators

<sup>2)</sup> Filament 1

## Product family datasheet

### Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ULTRA LIFE C5W 6418ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE P21W 7506ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE PY21W 7507ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R10W 5008ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R5W 5007ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE W5W 2825ULT

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

