Product family datasheet

LEDriving SL W21W/5W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional W21W/5W lamps Easy upgrade to LED technology with plug & play solutions



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W21/5W

LEDriving SL W21W/5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W21W/5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information		General Product Information		Electric	Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Power input	Nominal voltage	
LEDriving SL ≙ W21/5W	Mainly used for signal/ indicator applications	Off-road ≙ W21/5W	7515DW	/P	2.7 W	12.0 V	
				Photomet	ric Data	Physical Attributes & Dimensions	
Product description	Nominal wattage	Power input toleranc e	Test voltage	Nominal lı flux	uminous	Lamp base	
LEDriving SL \doteq W21/5W	1 W	±10 %	13.5 V	155/25 lm		W3x16q	
				Lifetime D	ata	Capabilities	
Product description	Length	Diameter		Lifespan B3	Lifespan Tc	Technology	
LEDriving SL \doteq W21/5W	47.5 mm	20.0 mm		1500 hr	4000 hr	LED ¹⁾	
	Environmental & Regul	-		(EC) 1907/2	006 (REACh)	
Product description	Primary article identifier	Candidate list substance 1		CAS No. of substance 1		Safe use instruction	
LEDriving SL ≙ W21/5W	4062172401494 4062172152266	Lead		7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.	

Product description	Declaration no. in SCIP database	
LEDriving SL \triangleq W21/5W	4746391f-7cf0-4291- a57a-5bc608210a87	

 $^{1)}$ Light-emitting diode lamp

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.