

# BATTERYstart 300

## Jump starters



### Engine size compatibility

To jump start 12 V vehicles with up to 6 L petrol engines and 3 L diesel engines



### Battery Power

Powerful 13,000 mAh Lithium Cobalt battery



### Powerbank-Function

Charging electronic devices including smart phones and tablets



### Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart300 compact Lithium Cobalt LiCoO<sub>2</sub> jump starter for small to medium 12V vehicles up to 6L petrol engines and 3L diesel engines. Smaller in size than most typical jump starters, the BATTERYstart300 is a compact solution without compromising on power. It includes intelligent safety clamps to keep the jump starter, user and vehicle safe with reverse-polarity, anti-spike and short circuit protection. Comes with a bright LED light and a power bank feature, which allows you to charge electronic devices on the go – just connect a USB charger and the power bank will kick in.

## Product family datasheet

### Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 300 <sup>1)</sup>	Better	6 l	3 l	2

Product description	12V Power socket connection	Application (Category and Product specific)	General Product Information	Physical Attributes & Dimensions
			Global order reference	Length
BATTERY start 300 <sup>1)</sup>	n/a	Lithium Starter	OBSL300	168.0 mm

Product description	Width	Height	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
			Date of declaration	Candidate list substance 1
BATTERY start 300 <sup>1)</sup>	88.0 mm	33.0 mm	19-10-2024	Lead





Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
BATTERY start 300 <sup>1)</sup>	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ada11f03-1c52-4c49-9f3f-4ab9687039c7

<sup>1)</sup> Up to 6L Petrol 3L Diesel

## Product family datasheet

---

### Download Data

File	
	User instruction BATTERYstart
	Movie application BatteryStart How to Video (ITA)
	Movie application BatteryStart How to Video (EN)
	Product movie OSRAM BATTERYstart 300 Product Video (EN)

#### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.