

ORIGINAL - PSX

OSRAM spare parts

OSRAM spare parts

Discover our ORIGINAL PSX lamps. The spare parts are signal lamp types for different applications. They provide a high and constant luminous flux.



Product family datasheet

Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - PSX PS19W	Auxiliary lamp	5201	20 W	12.0 V	19 W
ORIGINAL - PSX PS24W	Auxiliary lamp	5202	25 W	12.0 V	24 W
ORIGINAL - PSX PSX24W	Auxiliary lamp	2504	25 W	12.0 V	24 W
ORIGINAL - PSX PSX26W	Auxiliary lamp	6851	26 W	12.0 V	24 W
ORIGINAL - PSX P13W		828	13 W	12.0 V	13 W
ORIGINAL - PSX PW24W		7447	25 W	12.0 V	24 W
ORIGINAL - PSX PWY24W		7450A	25 W	12.0 V	24 W
ORIGINAL - PSX PY24W		5200A	25 W	12.0 V	24 W
ORIGINAL - PSX PSY24W		2503A	25 W	12.0 V	24 W

Product description	Test voltage	Photometric Data		Physical Attributes & Dimensions	
		Nominal luminous flux	Luminous flux tolerance	Diameter	Diameter
ORIGINAL - PSX PS19W	13.5 V	350 lm	±15 %	18.5 mm	18.5 mm
ORIGINAL - PSX PS24W	13.5 V	500 lm	+10 %; -20 %	18.5 mm	18.5 mm
ORIGINAL - PSX PSX24W	13.5 V	500 lm	+10 %; -15 %	18.5 mm	18.5 mm
ORIGINAL - PSX PSX26W	13.5 V	500 lm	+10 %	18.5 mm	18.5 mm
ORIGINAL - PSX P13W	13.5 V	250 lm	+15% / -20 %	18.5 mm	18.5 mm
ORIGINAL - PSX PW24W	13.5 V	500 lm		18.5 mm	18.5 mm
ORIGINAL - PSX PWY24W	13.5 V	300 lm		18.5 mm	18.5 mm
ORIGINAL - PSX PY24W	13.5 V	300 lm		18.5 mm	18.5 mm
ORIGINAL - PSX PSY24W	13.5 V	300 lm		18.5 mm	18.5 mm

Product description	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
	Lifespan B3	Lifespan Tc	Technology	ECE category	Primary article identifier
ORIGINAL - PSX PS19W	500 hr	1000 hr	AUX ¹⁾	PS19W	4052899600546
ORIGINAL - PSX PS24W	500 hr	1000 hr	AUX ¹⁾	PS24W	4052899600584
ORIGINAL - PSX PSX24W	500 hr	1000 hr	AUX ¹⁾	PSX24W	4052899600560
ORIGINAL - PSX PSX26W	500 hr	1000 hr	AUX ¹⁾	PSX26W	4062172160100
ORIGINAL - PSX P13W		1500 h average	AUX ¹⁾	P13W	4062172094283
ORIGINAL - PSX PW24W		500hr average	AUX	PW24W	4062172406116

Product family datasheet

	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Lifespan B3	Lifespan Tc	Technology	ECE category	Primary article identifier
ORIGINAL - PSX PWY24W		500hr average	AUX	PWY24W	4062172406147
ORIGINAL - PSX PY24W		500hr average	AUX	PY24W	4062172406178
ORIGINAL - PSX PSY24W		500hr average	AUX	PSY24W	4062172406208

Product description	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - PSX PS19W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PS24W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PSX24W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PSX26W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX P13W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PW24W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PWY24W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PY24W	No declarable substances contained	No declarable substances contained
ORIGINAL - PSX PSY24W	No declarable substances contained	No declarable substances contained

1) Auxiliary signal lamp

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

